

# 公制细牙螺纹塞规

**INSIZE PLUS**

德国制造



- 包含通规和止规
- 符合ISO1502标准
- 由含钨工具钢制成, 油淬火, 超低温处理
- 产品的耐磨性好, 寿命长, 尺寸稳定, 光洁度高
- 硬度HRC60-62
- 带生产厂检验证书



4642-12R

\*型号说明举例:

公称直径	螺距	等级6H
M1	0.2	-1A

型号为4642-1A

规格(mm)		型号(4642)*		
公称直径	螺距	等级6H	等级6G	等级4H
M1	0.2	-1A	—	—
M1.2	0.2	-1D2A	—	—
M1.4	0.2	-1D4A	—	—
M1.6	0.2	-1D6A	—	—
M1.8	0.2	-1D8A	—	—
M2	0.2	-2A	—	—
	0.25	-2B	—	-2BH
M2.2	0.25	-2D2B	—	—
M2.5	0.2	-2D5A	—	—
	0.25	-2D5B	—	-2D5BH
	0.35	-2D5D	—	—
M3	0.25	-3B	—	-3BH
	0.35	-3D	—	-3DH
M3.5	0.25	-3D5B	—	—
	0.35	-3D5D	—	-3D5DH
	0.5	-3D5G	—	—
M4	0.25	-4B	—	—
	0.35	-4D	—	-4DH
	0.5	-4G	-4GG	-4GH
M4.5	0.35	-4D5D	—	—
	0.5	-4D5G	-4D5GG	—
M5	0.25	-5B	—	—
	0.35	-5D	—	—
	0.5	-5G	-5GG	-5GH
	0.75	-5L	—	—
M5.5	0.5	-5D5G	—	—
M6	0.25	-6B	—	—
	0.35	-6D	—	—
	0.5	-6G	-6GG	-6GH
	0.75	-6L	-6LG	-6LH
M6.5	0.5	-6D5G	—	—
M7	0.35	-7D	—	—
	0.5	-7G	-7GG	—
M7.5	0.75	-7L	-7LG	-7LH
	0.5	-7.5G	—	—
M8	0.35	-8D	—	—
	0.5	-8G	-8GG	-8GH

规格(mm)		型号(4642)*		
公称直径	螺距	等级6H	等级6G	等级4H
M8	0.75	-8L	-8LG	-8LH
	1	-8P	-8PG	-8PH
M8.5	0.5	-8D5G	—	—
M9	0.35	-9D	—	—
	0.5	-9G	-9GG	—
	0.75	-9L	-9LG	-9LH
	1	-9P	-9PG	-9PH
M10	0.35	-10D	—	—
	0.5	-10G	-10GG	-10GH
	0.75	-10L	-10LG	-10LH
	1	-10P	-10PG	-10PH
	1.25	-10Q	-10QG	-10QH
M11	0.5	-11G	-11GG	-11GH
	0.75	-11L	-11LG	-11LH
	1	-11P	-11PG	-11PH
M12	0.5	-12G	-12GG	-12GH
	0.75	-12L	-12LG	-12LH
	1	-12P	-12PG	-12PH
	1.25	-12Q	-12QG	-12QH
	1.5	-12R	-12RG	-12RH
M13	0.5	-13G	—	-13GH
	0.75	-13L	-13LG	-13LH
	1	-13P	-13PG	-13PH
	1.5	-13R	—	—
M14	0.5	-14G	-14GG	-14GH
	0.75	-14L	-14LG	-14LH
	1	-14P	-14PG	-14PH
	1.25	-14Q	-14QG	-14QH
	1.5	-14R	-14RG	-14RH
M15	0.5	-15G	-15GG	—
	0.75	-15L	-15LG	—
	1	-15P	-15PG	-15PH
M16	1.5	-15R	-15RG	-15RH
	0.5	-16G	-16GG	—
	0.75	-16L	-16LG	-16LH
M16	1	-16P	-16PG	-16PH
	1.25	-16Q	—	—

规格(mm)		型号(4642)*		
公称直径	螺距	等级6H	等级6G	等级4H
M16	1.5	-16R	-16RG	-16RH
M17	0.5	-17G	-17GG	—
	0.75	-17L	-17LG	—
	1	-17P	-17PG	-17PH
M18	1.5	-17R	-17RG	-17RH
	0.5	-18G	-18GG	—
	0.75	-18L	-18LG	—
	1	-18P	-18PG	-18PH
	1.25	-18Q	—	—
M19	1.5	-18R	-18RG	-18RH
	2	-18T	-18TG	-18TH
	0.5	-19G	—	—
	0.75	-19L	-19LG	—
	1	-19P	-19PG	-19PH
M20	1.5	-19R	—	—
	0.5	-20G	-20GG	—
	0.75	-20L	-20LG	—
	1	-20P	-20PG	-20PH
	1.25	-20Q	—	—
M21	1.5	-20R	-20RG	-20RH
	2	-20T	-20TG	-20TH
	0.5	-21G	—	—
	0.75	-21L	-21LG	—
	1	-21P	-21PG	-21PH
M22	1.5	-21R	—	—
	0.5	-22G	—	—
	0.75	-22L	-22LG	-22LH
	1	-22P	-22PG	-22PH
	1.25	-22Q	—	—
M23	1.5	-22R	-22RG	-22RH
	2	-22T	-22TG	-22TH
	0.5	-23G	—	—
	0.75	-23L	-23LG	—
	1	-23P	-23PG	-23PH
M24	0.5	-24G	—	—
	0.75	-24L	—	—
	1	-24P	-24PG	-24PH

待续

接上页

规格(mm)		型号(4642) <sup>*</sup>		
公称直径	螺距	等级6H	等级6G	等级4H
M24	1.25	-24Q	—	—
	1.5	-24R	-24RG	-24RH
	2	-24T	-24TG	-24TH
M25	0.5	-25G	—	—
	0.75	-25L	—	—
	1	-25P	-25PG	-25PH
	1.5	-25R	-25RG	-25RH
	2	-25T	-25TG	-25TH
M26	0.5	-26G	—	—
	0.75	-26L	—	—
	1	-26P	-26PG	-26PH
	1.5	-26R	-26RG	-26RH
	2	-26T	-26TG	-26TH
M27	0.5	-27G	—	—
	0.75	-27L	—	—
	1	-27P	-27PG	-27PH
	1.5	-27R	-27RG	-27RH
	2	-27T	-27TG	-27TH
M28	0.5	-28G	—	—
	0.75	-28L	—	—
	1	-28P	-28PG	-28PH
	1.5	-28R	-28RG	-28RH
	2	-28T	-28TG	-28TH
M29	0.5	-29G	—	—
	0.75	-29L	—	—
	1	-29P	-29PG	-29PH
M30	0.5	-30G	—	—
	0.75	-30L	—	—
	1	-30P	-30PG	-30PH
	1.5	-30R	-30RG	-30RH
	2	-30T	-30TG	-30TH
	3	-30V	—	—
M31	0.5	-31G	—	—
	0.75	-31L	—	—
M32	0.5	-32G	—	—
	0.75	-32L	—	—
	1	-32P	-32PG	-32PH
	1.5	-32R	-32RG	-32RH
	2	-32T	-32TG	-32TH
M33	0.5	-33G	—	—
	0.75	-33L	—	—
	1	-33P	-33PG	-33PH
	1.5	-33R	-33RG	-33RH
	2	-33T	-33TG	-33TH
	3	-33V	—	—

规格(mm)		型号(4642) <sup>*</sup>		
公称直径	螺距	等级6H	等级6G	等级4H
M34	0.5	-34G	—	—
	0.75	-34L	—	—
	1	-34P	-34PG	-34PH
	1.5	-34R	-34RG	-34RH
M35	2	-34T	—	—
	0.5	-35G	—	—
	0.75	-35L	—	—
	1	-35P	-35PG	-35PH
M36	1.5	-35R	-35RG	-35RH
	2	-35T	—	—
	0.5	-36G	—	—
	0.75	-36L	—	—
M37	1	-36P	-36PG	-36PH
	1.5	-36R	-36RG	-36RH
	2	-36T	-36TG	-36TH
	3	-36V	—	—
M38	0.5	-37G	—	—
	0.75	-37L	—	—
M39	1	-37P	—	—
	1.5	-37R	—	—
	2	-37T	—	—
	0.5	-38G	—	—
	0.75	-38L	—	—
M40	1	-38P	-38PG	-38PH
	1.5	-38R	-38RG	-38RH
	2	-38T	-38TG	-38TH
	0.5	-39G	—	—
	0.75	-39L	—	—
M42	1	-39P	—	—
	1.5	-39R	—	—
	2	-39T	-39TG	-39TH
	3	-39V	—	—
	0.5	-40G	—	—
M45	0.75	-40L	—	—
	1	-40P	-40PG	-40PH
	1.5	-40R	-40RG	-40RH
	2	-40T	-40TG	-40TH
	3	-40V	—	—
M48	1	-42P	—	—
	1.5	-42R	-42RG	-42RH
	2	-42T	-42TG	-42TH
	3	-42V	—	—
M45	1	-45P	—	—
	1.5	-45R	-45RG	-45RH
	2	-45T	-45TG	-45TH
M48	3	-45V	—	—
	1	-48P	—	—
M48	1.5	-48R	-48RG	-48RH

规格(mm)		型号(4642) <sup>*</sup>		
公称直径	螺距	等级6H	等级6G	等级4H
M48	2	-48T	-48TG	-48TH
	3	-48V	—	—
M50	1	-50P	—	—
	1.5	-50R	-50RG	-50RH
	2	-50T	-50TG	-50TH
M52	3	-50V	—	—
	1	-52P	—	—
	1.5	-52R	-52RG	-52RH
	2	-52T	-52TG	-52TH
M55	3	-52V	—	—
	4	-52X	—	—
	1	-55P	—	—
	1.5	-55R	-55RG	-55RH
M56	2	-55T	-55TG	-55TH
	3	-55V	—	—
	4	-55X	—	—
	1	-56P	—	—
M58	1.5	-56R	-56RG	-56RH
	2	-56T	-56TG	-56TH
	3	-56V	—	—
	4	-56X	—	—
M60	1	-58P	—	—
	1.5	-58R	-58RG	-58RH
	2	-58T	-58TG	-58TH
	3	-58V	—	—
M62	4	-58X	—	—
	1	-60P	—	—
	1.5	-60R	-60RG	-60RH
	2	-60T	-60TG	-60TH
M64	3	-60V	—	—
	4	-60X	—	—
	1	-62P	—	—
	1.5	-62R	—	—
M65	2	-62T	-62TG	—
	3	-62V	—	—
	4	-62X	—	—
	1	-64P	—	—
M65	1.5	-64R	—	—
	2	-64T	-64TG	—
	3	-64V	—	—
	4	-64X	—	—
M65	1	-65P	—	—
	1.5	-65R	—	—
	2	-65T	-65TG	—
M65	3	-65V	—	—

待续

接上页

规格(mm)		型号(4642) <sup>*</sup>	
公称直径	螺距	等级6H	等级6G
M65	4	-65X	—
M68	1	-68P	—
	1.5	-68R	—
	2	-68T	-68TG
	3	-68V	—
	4	-68X	—
M70	1	-70P	—
	1.5	-70R	—
	2	-70T	-70TG
	3	-70V	—
	4	-70X	—
M72	6	-70O	—
	1	-72P	—
	1.5	-72R	—
	2	-72T	-72TG
	3	-72V	—
M75	4	-72X	—
	6	-72O	—
	1	-75P	—
	1.5	-75R	—
	2	-75T	-75TG
M76	3	-75V	—
	4	-75X	—
	1	-76P	—
	1.5	-76R	—
	2	-76T	-76TG
	3	-76V	—
M78	4	-76X	—
	6	-76O	—
	1	-78P	—
M78	1.5	-78R	—
	2	-78T	-78TG

规格(mm)		型号(4642) <sup>*</sup>	
公称直径	螺距	等级6H	等级6G
M80	1	-80P	—
	1.5	-80R	—
	2	-80T	-80TG
	3	-80V	—
	4	-80X	—
	6	-80O	—
M82	1.5	-82R	—
	2	-82T	-82TG
M85	1.5	-85R	—
	2	-85T	-85TG
	3	-85V	—
	4	-85X	—
M88	6	-85O	—
	1.5	-88R	—
	2	-88T	—
	M90	1.5	-90R
2		-90T	—
3		-90V	—
4		-90X	—
6		-90O	—
M92		1.5	-92R
	2	-92T	—
M95	1.5	-95R	—
	2	-95T	—
	3	-95V	—
	4	-95X	—
M98	6	-95O	—
	1.5	-98R	—
	2	-98T	—
	M100	1.5	-100R
2		-100T	—
3		-100V	—

规格(mm)		型号(4642) <sup>*</sup>
公称直径	螺距	等级6H
M100	4	-100X
	6	-100O
M102	1.5	-102R
	2	-102T
M105	1.5	-100R
	2	-100T
	3	-100V
M108	4	-100X
	1.5	-108R
M110	2	-108T
	1.5	-110R
M112	2	-110T
	3	-110V
	4	-110X
M115	1.5	-112R
	2	-112T
	1.5	-115R
M118	2	-115T
	3	-115V
	4	-115X
M120	1.5	-118R
	2	-118T
	1.5	-120R
	2	-120T
M122	3	-120V
	4	-120X
M125	1.5	-122R
	2	-122T
	1.5	-125R
	2	-125T
M125	3	-125V
	4	-125X

规格(mm)		型号(4642) <sup>*</sup>
公称直径	螺距	等级6H
M128	1.5	-128R
	2	-128T
M130	1.5	-130R
	2	-130T
	3	-130V
M132	4	-130X
	1.5	-132R
M135	2	-132T
	1.5	-135R
	2	-135T
M138	3	-135V
	4	-135X
	1.5	-138R
M140	2	-138T
	1.5	-140R
	2	-140T
	3	-140V
M142	4	-140X
	1.5	-142R
	2	-142T
M145	1.5	-145R
	2	-145T
	3	-145V
	4	-145X
M148	1.5	-148R
	2	-148T
M150	1.5	-150R
	2	-150T
	3	-150V
M150	4	-150X